

ZERO

A circular icon with a white outline. Inside the circle is a pie chart with diagonal hatching. A white arrow starts at the top of the circle and points clockwise, ending at the top of the pie chart.

**Leading Flooring
to Zero Impact**

Premium ZERO 

Pioneering Technology Inside

Gerflor®


Facing the urgent challenges of climate change and resource scarcity, we are committed to reducing the environmental impact of our products.

Together, let's build a more sustainable future, one step at a time.

we care / we act

Towards ZER carbon

The innovative Premium ZERO formula further strengthens our commitment to reducing carbon footprints and supports your projects where very low carbon materials are required.




Thanks to its pioneering composition, Premium ZERO Compact carbon footprint is only 4kg eq CO₂/sqm (based on 1 year life cycle) and 7kg eq CO₂/sqm (based on 25 years life cycle)

EPD available certified by UL.



Towards ZERO fossil extraction

Premium ZERO is a new generation of flooring that's leading the way towards using zero virgin ingredients and achieving zero fossil extraction.



Inside Premium ZERO: one step further



Biocontent


Ingredients made from soy residues, turning agricultural waste into a valuable resource that ensures product flexibility.



Biocircular

Vinyl made from renewable sources like used cooking oil, reducing reliance on fossil fuels while maintaining quality. Third-party certified (ISCC Plus) according to a mass balance approach.

■ biocontent ■ biocircular ■ recycled



"All Gerflor product ranges are designed according to a life cycle analysis model. This model shows that raw materials and product composition represent around 50% of a products CO₂ footprint based on a 25 years life cycle. In this context, Premium ZERO has a pioneering formula designed to minimise fossil raw material extraction and maximise bio, mineral and recycled content"

Innovation & Sustainability Director

Still Premium in Performance



Unrivalled durability

- High density pressed wearlayer
- Pressed under 800 tons
- Immutable designs



High resistance to heavy loads

- Double reinforcement for excellent dimensional stability
- Easy rolling



Lower maintenance costs



Indoor air quality

- A+ / Floorscore / M1 certified
- Phthalate-free
- Anti-bacterial activity: ISO 22196



Premium range designs

- 8 design themes
- 81 colours available to personalise your interior ambiance



Second Life

100 % recyclable

Can be recycled with **Gerflor Second Life Program** (available in selected European countries)

Technical data
available here:



Product page
available here:



Gerflor®

**Product available
on demand.**

For more information,
please contact your
Gerflor representative